

**ZJCZ.E159216
Flexible Cord**[Page Bottom](#)

Flexible Cord[See General Information for Flexible Cord](#)**SHENZHEN BAO HING ELECTRIC WIRE & CABLE MFR CO LTD**

E159216

BUCHONG TONGFUYU INDUSTRY AREA
SHAJING RD SHAJING ST
BAOAN DISTRICT
SHENZHEN, GUANGDONG 518104 CHINA

Clock cord, Type(s) Clock**Decorative cord**, Type(s) CXTW**Jacketed cord**, Type(s) SJE, SJT, SJT-R, SJTW, ST, STW, SVE, SVT, SVT-R**Parallel cord**, Type(s) NISPE-1, NISPE-2, NISPT-1, NISPT-2, SPE-1, SPE-2, SPE-3, SPT-1, SPT-2, SPT-2-R, SPT-3**Tinsel cord**, Type(s) TPT, TST[Last Updated](#) on 2013-09-26

[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".



ZJCZ7.E159216 Flexible Cord Certified for Canada

[Page Bottom](#)

Flexible Cord Certified for Canada

[See General Information for Flexible Cord Certified for Canada](#)

SHENZHEN BAO HING ELECTRIC WIRE & CABLE MFR CO LTD

E159216

BUCHONG TONGFUYU INDUSTRY AREA
SHAJING RD SHAJING ST
BAOAN DISTRICT
SHENZHEN, GUANGDONG 518104 CHINA

Jacketed cord, Type(s) SJT, SJT(TPE), SJTW, ST, STW, SVT, SVT(TPE)

Parallel cord, Type(s) NISPT-1, NISPT-1(TPE), NISPT-2, NISPT-2(TPE), SPT-1, SPT-1(TPE), SPT-2, SPT-2(TPE), SPT-3, SPT-3(TPE)

Tinsel cord, Type(s) TPT, TST

[Last Updated](#) on 2013-09-26

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".

ZJCZ. E159216
Flexible Cord

Flexible Cord

[See General Information for Flexible Cord](#)

SHENZHEN BAO HING ELECTRIC WIRE & CABLE MFR CO LTD

E159216

BUCHONG TONGFUYU INDUSTRY AREA

SHAJING RD SHAJING ST

BAOAN DISTRICT

SHENZHEN, GUANGDONG 518104 CHINA

PVC parallel cord with -R suffix, Type SPT-2-R.

PVC jacketed cords with -R suffix, Types SVT-R, SJT-R.

Parallel cords, Types SPE-1, SPE-2, SPE-3, SPT-1, SPT-2, SPT-3, NISPT-1, NISPT-2, NISPE-1, NISPE-2.

Jacketed cords, Types SVE, SJE, SVT, SJT, ST, SJTW, STW.

Tinsel cords, Types TPT, TST.

Miscellaneous cord, Type Clock cord.

Single or Twisted Decorative Cord, Type CXTW.

[Last Updated](#) on 2011-03-30

[Copyright](#) 2011 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2011 Underwriters Laboratories Inc.®"



NOTICE OF AUTHORIZATION TO APPLY THE UL MARK

05/10/2010

Shenzhen Bao Hing Electric Wire & Cable Mfr Co Ltd
Mr. Jiadong Luo
Buchong Tongfuyu Industry Area
Shajing Rd Shajing St
Baoan District
Shenzhen Guangdong 518104, Cn

Our Reference: File E159216, Vol. 1 Project Number 10CA22625
Your Reference: MS. LUO ACCEPTED ON 30 APR 10
Project Scope: UL/CUL: TPE Flexible Cord, Types SVE, SVT, SJE, SJT, NISPE-1, NISPT-1 NISPE-2 and NISPT-2, 18 AWG conductor, may employ rayon yarns with 200-500 denier within copper conductor strands

Dear Mr. Jiadong Luo:

UL's investigation of your product(s) has been completed under the above Reference Number and the product was determined to comply with the applicable requirements.

This letter temporarily supplements the UL Follow-Up Services Procedure and serves as authorization to apply the UL Mark only at authorized factories under UL's Follow-Up Service Program.

To provide the manufacturer with the intended authorization to use the UL Mark, the addressee must send a copy of this notice to each manufacturing location currently authorized in File E159216, Vol. 1.

This authorization is effective from the date of this Notice and only for products at the indicated manufacturing locations. Records in the Follow-Up Services Procedure covering the product are now being prepared and will be sent in the near future. This letter authorizes application of the UL Mark for 90 days from the date of this letter.

Products that bear the UL Mark shall be identical to those that were evaluated by UL and found to comply with UL's requirements. If changes in construction are discovered, appropriate action will be taken for products not in conformance with UL's requirements and continued use of the UL Mark may be withdrawn. UL may elect to withdraw use of the UL Mark if the Applicant or Manufacturer fails to comply with UL's requirements including ongoing compliance of the product, under UL's Follow-Up Service.

Any information and documentation provided to you involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. (UL) or any authorized licensee of UL.

The contents of this Letter are intended solely for the use of UL and the Applicant. The opinions and findings of UL represent its judgment given with due consideration to the necessary limitations of practical operation in accordance with UL's objectives and purposes. UL shall not otherwise be responsible for the use of or reliance upon the contents of this letter by anyone. UL shall not incur any obligation or liability for any loss, expense or damages, including incidental, consequential or punitive damages, arising out of or in connection with the use or reliance upon the contents of this letter to anyone other than the Applicant as provided in the agreement between UL and Applicant. Any use or reference to UL's name or certification mark(s) by anyone other than the Applicant in accordance with the agreement is prohibited without the express written approval of UL.

Very truly yours,

Jacky Lam
+852 2276 9296
Engineer
Jacky.Lam@hk.ul.com

Reviewed by:

Dan Chan
+852 2276 9573
Project Engineer
Dan.Chan@hk.ul.com

GUZCAE9-242C58

