



中国国家强制性产品认证证书

证书编号: 2019180204011843

认证委托人名称、地址

Schurter AG
Werkhofstrasse 8-12, CH-6002 Luzern, Switzerland(瑞士)

生产者(制造商)名称、地址

Schurter AG
Werkhofstrasse 8-12, CH-6002 Luzern, Switzerland(瑞士)

生产企业名称、地址

SCHURTER spol. s.r.o.
Mala Skala 190, 468 22 Zelezny Brod, Czech Republic (捷克)

产品名称和系列、型号、规格

用于冷条件下 I 类设备的 10A 250V 器具输入插座
1061-X-XXX0-X-XX0 10A 250V~ (型号说明见附录)

产品标准和技术要求

GB/T 17465.1-2009

上述产品符合强制性产品认证实施规则
CNCA-C02-01: 2014 的要求, 特发此证。

发证日期: 2019 年 11 月 15 日 有效期至: 2024 年 11 月 14 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过认监委网站 www.cnca.gov.cn 或本机构电话+86-20-32293722 查询



威凯认证检测有限公司

中国·广州·高新技术产业开发区天泰一路3号 (510663)

<http://www.cvc.org.cn>





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. 2019180204011843

NAME AND ADDRESS OF THE APPLICANT

Schurter AG
Werkhofstrasse 8-12, CH-6002 Luzern, Switzerland

NAME AND ADDRESS OF THE MANUFACTURER

Schurter AG
Werkhofstrasse 8-12, CH-6002 Luzern, Switzerland

NAME AND ADDRESS OF THE FACTORY

SCHURTER spol. s.r.o.
Mala Skala 190, 468 22 Zelezny Brod, Czech Republic

NAME, MODEL AND SPECIFICATION

10A 250V Appliance Inlet for Class I Equipment for Cold Conditions
1061-X-XXX0-X-XX0 10A 250V ~ (Model Description See Appendix)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 17465.1-2009

This is to certify that the above mentioned products have met the requirements of implementation rules for compulsory certification (REF NO.CNCA-C02-01: 2014).

DATE OF ISSUE: November 15, 2019 **DATE OF EXPIRY:** November 14, 2024

Validity of this certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

This certificate can be verified through CNCA's website: www.cnca.gov.cn or CVC's Tel:+86-20-32293722



Xie Hongjiong



VKAN CERTIFICATION & TESTING CO., LTD.

No.3, Tiantaiyi Road, High-tech Industrial Development Zone, Science City, Guangzhou (510663) P. R. China

<http://www.cvc.org.cn>

017019



中国国家强制性产品认证证书

附录 | Appendix:

第 1 页 共 2 页

证书编号 | No.: 2019180204011843

纸号: 017019

产品名称 | Name of the Equipment:

用于冷条件下 I 类设备的 10A 250V 器具输入插座 | 10A 250V Appliance Inlet for Class I Equipment for Cold Conditions

规格和型号 | Model and Specification:

1061 - X - X X X 0 - X - X X 0 10A 250V~

1) 2) 3) 4) 5) 6) 7)

1) 防护等级 | Protection Class

X = PC I | PC I

2) 端子 L | Terminal L

2 = 焊接端子 长度=5mm | Solder L=5

3 = 焊接端子 长度=8.5mm | Solder L=8.5

8 = 快速连接端子 4.8×0.8mm | Quick Connect 4.8×0.8

9 = 快速连接端子 6.3×0.8mm | Quick Connect 6.3×0.8

A = 螺钉端子 | Screw terminal

3) 端子 N | Terminal N

2 = 焊接端子 长度=5mm | Solder L=5

3 = 焊接端子 长度=8.5mm | Solder L=8.5

注: 此附件与证书同时使用时有效。

Note: This appendix is valid for use with certificates.



威凯认证检测有限公司

中国·广州·高新技术产业开发区天泰一路3号 (510663)

<http://www.cvc.org.cn>





中国国家强制性产品认证证书

附录 | Appendix:

第 2 页 共 2 页

证书编号 | No.: 2019180204011843

纸号: 017019

8 = 快速连接端子 4.8×0.8mm | Quick Connect 4.8×0.8

9 = 快速连接端子 6.3×0.8mm | Quick Connect 6.3×0.8

A = 螺钉端子 | Screw terminal

4) 端子 PE | Terminal PE

2 = 焊接端子 长度=5mm | Solder L=5

3 = 焊接端子 长度=8.5mm | Solder L=8.5

8 = 快速连接端子 4.8×0.8mm | Quick Connect 4.8×0.8

9 = 快速连接端子 6.3×0.8mm | Quick Connect 6.3×0.8

A = 螺钉端子 | Screw terminal

5) 外壳颜色 | Colour

A = 黑色 | Black

B = 灰色 | Grey

D = 白色 | White

6) 安装 | Mounting

3 = 卡扣在 0.8-2.0mm 处 | Snap-in 0.8-2.0mm

7) 锁定系统 | Locking system

0 = 无锁定系统 | Without

注: 此附件与证书同时使用时有效。

Note: This appendix is valid for use with certificates.



威凯认证检测有限公司

中国·广州·高新技术产业开发区天泰一路3号 (510663)

<http://www.cvc.org.cn>

