

CERTIFICATE

Issued to:

Applicant:

Queen Puo Electrical Co., Ltd.

6F, No.772, ZhongZheng Road, Chung Ho District,
235 New Taipei City, Taiwan

Licensee:

Queen Puo Electrical Co., Ltd.

6F, No.772, ZhongZheng Road, Chung Ho District,
235 New Taipei City, Taiwan

Product : Fused plug
Trade name(s) : QUEEN PUO
Type(s)/model(s) : QP-026 and QP-026-1

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- a type test according to BS 1363-1:2016 + A1:2018
- an inspection of the factory location according to CENELEC Operational Document CIG 021
- a DEKRA certification agreement with the number 2070913


DEKRA hereby grants the right to use the KEMA-KEUR certification mark.

The KEMA-KEUR certification mark may be applied to the product as specified in this certificate for the duration and under the conditions of the KEMA-KEUR certification agreement.

This certificate is issued on 19 September 2023 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 2178922.01 REV.3

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



H.R.M. Barends
Certification Manager

© Integral publication of this certificate is allowed

ACCREDITED BY THE
DUTCH ACCREDITATION
COUNCIL



SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

Product	: Fused plug
Trade name(s)	: QUEEN PUO
Type(s)/model(s)	: QP-026 and QP-026-1
Rated current	: 6 A with flexible cord 0,75 mm ² 10 A with flexible cord 1,0 mm ² 13 A with flexible cord 1,5 mm ²
Rated voltage	: 250 V~
Design	: non-rewirable, moulded-on
Incorporated fuse	: 2A, 3 A, 5 A, 7 A, 10 A or 13 A, which complies with BS1362, used according to Table 2 of BS1363-1
Description	: body of thermoplastic material as part of an incomplete cord set

Product data – type QP-026

Earthing	: un-terminated brass earth pin
Applied flexible cords	: H03VVH2-F 2x0,75 mm ² H05VVH2-F 2x0,75 mm ² H03VV-F 2x0,75 mm ² H05VV-F 2x0,75/1,0/1,5 mm ² H05RR-F 2x0,75/1,0/1,5 mm ² H05RN-F 2x0,75/1,0 mm ² H07RN-F 2x1,0/1,5 mm ²
Certification mark	: complies with the requirements
Certification mark	: crimped connection

Product data – type QP-026

Earthing	: with earth pin
Applied flexible cords	: H03VV-F 3G0,75 mm ² H05VV-F 3G0,75/1,0/1,5 mm ² H05RR-F 3G0,75/1,0/1,5 mm ² H05RN-F 3G0,75/1,0 mm ² H07RN-F 3G1,0/1,5 mm ²
Certification mark	: complies with the requirements
Cord termination	: crimped connection

Product data – type QP-026-1

Earthing	: un-terminated brass earth pin
Applied flexible cords	: H03VVH2-F 2x0,75 mm ² H05VVH2-F 2x0,75 mm ² H05VV-F 2x0,75/1,0/1,5 mm ²
Certification mark	: complies with the requirements
Cord termination	: crimped connection

Product data – type QP-026-1

Earthing	: with earth pin
Applied flexible cords	: H05VV-F 3G0,75/1,0/1,5 mm ² H05RR-F 3G0,75/1,0 mm ²
Certification mark	: complies with the requirements
Cord termination	: crimped connection

TESTS

Test requirements

BS 1363-1:2016 + A1:2018

Test result

The test results are laid down in DEKRA test file 439070500.

Additional information

This certificate replaces certificate No. 2178922.01 REV.2 which we hereby declare invalid.

The list of components is laid down in test report 4390705.50.

Conclusion

The examination proved that all requirements were met.

Factory location

QUEEN PUO ELECTRICAL (SHEN ZHEN) CO., LTD.

Room 402, 4th Floor, Building 1, No.43 Songtang Road, Tangxiayong Community, Yanluo Street Office,
Baoan District

518105 Shenzhen City, Guangdong, China