Certificate of Compliance

Issued to:

SCHURTER AG Werkhofstrasse 8-12 PO Box Lucerne, Luzern 6002 Switzerland

This certificate confirms that representative samples of: FOKR2 - Electromagnetic Interference Appliance Filters -Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 60939-3, Edition 1, Issue Date 2016-07-22, Revision Date 2022-07-25

Additional Information: See UL Product iQ® at <u>https://iq.ulprospector.com</u> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

David Piecuch UL Mark Certification Program Manager

Solutions

Certificate Number:

UL-US-2409539-0

Report Reference:

E495089-20240326

Issue Date:

2024-03-29

Certificate number Report reference

Date

UL-US-2409539-0 E495089-20240326 2024-03-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
DKCV-1 Series, DKCV-3218-0J(kk)-ww, Two digits,	Filters
Current rating: D5 = 0.5 A, 0J = 1 A, 0K = 2 A, 0L = 3 A,	
0M = 4 A, 0U = 6 A, 0Q = 8 A, 10 = 10 A,	
kk = Inductance value,	
ww = Two optional alphanumeric digits	
DKCV-1 Series, DKCV-3218-0K(kk)-ww, Two digits,	Filters
Current rating: D5 = 0.5 A, 0J = 1 A, 0K = 2 A, 0L = 3 A,	
0M = 4 A, 0U = 6 A, 0Q = 8 A, 10 = 10 A,	
kk = Inductance value,	
ww = Two optional alphanumeric digits	
DKCV-1 Series, DKCV-3218-0L(kk)-ww, Two digits,	Filters
Current rating: D5 = 0.5 A, 0J = 1 A, 0K = 2 A, 0L = 3 A,	
0M = 4 A, 0U = 6 A, 0Q = 8 A, 10 = 10 A,	
kk = Inductance value,	
ww = Two optional alphanumeric digits	
DKCV-1 Series, DKCV-3218-0M(kk)-ww, Two digits,	Filters
Current rating: D5 = 0.5 A, 0J = 1 A, 0K = 2 A, 0L = 3 A,	
0M = 4 A, 0U = 6 A, 0Q = 8 A, 10 = 10 A,	
kk = Inductance value,	
ww = Two optional alphanumeric digits	
DKCV-1 Series, DKCV-3218-0Q(kk)-ww, Two digits,	Filters
Current rating: $D5 = 0.5 A$, $0J = 1 A$, $0K = 2 A$, $0L = 3 A$,	
0M = 4 A, 0U = 6 A, 0Q = 8 A, 10 = 10 A,	
kk = Inductance value,	
ww = Two optional alphanumeric digits	
DKCV-1 Series, DKCV-3218-0U(kk)-ww, Two digits,	Filters
Current rating: D5 = 0.5 A, 0J = 1 A, 0K = 2 A, 0L = 3 A,	
0M = 4 A, 0U = 6 A, 0Q = 8 A, 10 = 10 A,	
kk = Inductance value,	
ww = Two optional alphanumeric digits	
DKCV-1 Series, DKCV-3218-10(kk)-ww, Two digits,	Filters
Current rating:	
D5 = 0.5 A, 0J = 1 A, 0K = 2 A, 0L = 3 A, 0M = 4 A, 0U = 6	
A, 0Q = 8 A, 10 = 10 A	

OR-D

David Piecuch UL Mark Certification Program Manager



Certificate number

Report reference Date UL-US-2409539-0 E495089-20240326 2024-03-29

DKCV-1 Series, DKCV-3218-D5(kk)-ww, Two digits,	Filters
Current rating: D5 = 0.5 A, 0J = 1 Å, 0K = 2 Å, 0L = 3 Å,	
0M = 4 A, 0U = 6 A, 0Q = 8 A, 10 = 10 A,	
kk = Inductance value,	
ww = Two optional alphanumeric digits	

-0R.-

David Piecuch UL Mark Certification Program Manager



Certificate of Compliance

Issued to:

SCHURTER AG Werkhofstrasse 8-12 PO Box Lucerne, Luzern 6002 Switzerland

This certificate confirms that representative samples of: FOKR8 - Electromagnetic Interference Appliance Filters Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA C22.2 No. 8, 5th Ed., Issue Date: 2013-11

Additional Information: See UL Product iQ® at <u>https://iq.ulprospector.com</u> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.

David Piecuch UL Mark Certification Program Manager

Solutions

Certificate Number:

UL-CA-2408316-0

Report Reference:

E495089-20240326

Issue Date:

2024-03-29

Certificate number Report reference

Date

UL-CA-2408316-0 E495089-20240326 2024-03-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
DKCV-1 Series, DKCV-3218-0J(kk)-ww, Two digits,	Filters
Current rating: $D5 = 0.5 A$, $0J = 1 A$, $0K = 2 A$, $0L = 3 A$,	
0M = 4 A, 0U = 6 A, 0Q = 8 A, 10 = 10 A,	
kk = Inductance value,	
ww = Two optional alphanumeric digits	Filtere
DKCV-1 Series , DKCV-3218-0K(kk)-ww, Two digits, Current rating: D5 = 0.5 A, 0J = 1 A, 0K = 2 A, 0L = 3 A,	Filters
OM = 4 A, OU = 6 A, OQ = 8 A, 10 = 10 A,	
kk = Inductance value.	
ww = Two optional alphanumeric digits	
DKCV-1 Series , DKCV-3218-0L(kk)-ww, Two digits,	Filters
Current rating: $D5 = 0.5 A$, $OJ = 1 A$, $OK = 2 A$, $OL = 3 A$,	1 more
OM = 4 A, OU = 6 A, OQ = 8 A, 10 = 10 A,	
kk = Inductance value,	
ww = Two optional alphanumeric digits	
DKCV-1 Series, DKCV-3218-0M(kk)-ww, Two digits,	Filters
Current rating: $D5 = 0.5 A$, $0J = 1 A$, $0K = 2 A$, $0L = 3 A$,	
0M = 4 A, 0U = 6 A, 0Q = 8 A, 10 = 10 A,	
kk = Inductance value,	
ww = Two optional alphanumeric digits	
DKCV-1 Series, DKCV-3218-0Q(kk)-ww, Two digits,	Filters
Current rating: $D5 = 0.5 A$, $0J = 1 A$, $0K = 2 A$, $0L = 3 A$,	
0M = 4 A, 0U = 6 A, 0Q = 8 A, 10 = 10 A,	
kk = Inductance value,	
ww = Two optional alphanumeric digits	Eilte ve
DKCV-1 Series , DKCV-3218-0U(kk)-ww, Two digits,	Filters
Current rating: D5 = 0.5 A, 0J = 1 A, 0K = 2 A, 0L = 3 A, 0M = 4 A, 0U = 6 A, 0Q = 8 A, 10 = 10 A,	
kk = Inductance value,	
ww = Two optional alphanumeric digits	
DKCV-1 Series, DKCV-3218-10(kk)-ww, Two digits,	Filters
Current rating:	
D5 = 0.5 A, 0J = 1 A, 0K = 2 A, 0L = 3 A, 0M = 4 A, 0U = 6	
A, 0Q = 8 A, 10 = 10 A	

SaulPi

David Piecuch UL Mark Certification Program Manager



UL-CA-2408316-0

Certificate number

Report reference E

ence E495089-20240326 Date 2024-03-29

DKCV-1 Series , DKCV-3218-D5(kk)-ww, Two digits, Current rating: $D5 = 0.5 A$, $0J = 1 A$, $0K = 2 A$, $0L = 3 A$,	Filters
0M = 4 A, 0U = 6 A, 0Q = 8 A, 10 = 10 A,	
kk = Inductance value,	
ww = Two optional alphanumeric digits	

Daul P.

David Piecuch UL Mark Certification Program Manager

