



File E62405

Vol 1

Authorization Page 1

Issued: 1982-01-06

Revised: 2021-03-16

FOLLOW-UP SERVICE PROCEDURE
(TYPE L)

CORD SETS AND POWER-SUPPLY CORDS
(ELBZ, ELBZ7)

Manufacturer:	SEE ADDENDUM FOR MANUFACTURER LOCATIONS
Applicant: (337951-004)	197624 (Party Site) Volex (Asia) Pte Ltd 35 TAMPINES ST 92 SINGAPORE 528880 SG
Listee/Classified Company: (337951-004)	197624 (Party Site) SAME AS APPLICANT

Use of the Mark

This Follow-Up Service Procedure authorizes the above Manufacturer(s) to use the marking specified by UL LLC, or any authorized licensee of UL LLC, including the UL Contracting Party, only on products when constructed, tested and found to be in compliance with the requirements of this Follow-Up Service Procedure and in accordance with the terms of the applicable service agreement with UL Contracting Party. The UL Contracting Party for Follow-Up Services is listed in the addendum to this Follow-Up Service Procedure ("UL Contracting Party"). UL Contracting Party and UL LLC are referred to jointly herein as "UL."

It is the responsibility of the Applicant, Manufacturer(s), and Listee/Classified Company to make sure that only the products meeting the aforementioned requirements bear the authorized Marks of UL LLC, or any authorized licensee of UL LLC.

Additional Responsibilities

Additional responsibilities, duties and requirements for the Applicant and Manufacturers are defined under Additional Resources at the following web-site: <http://www.ul.com/fus>. Manufacturers without Internet access may obtain the current version of these documents from their local UL customer service representative or UL field representative. For assistance, or to obtain a paper copy of these documents or the Follow-Up Service Terms referenced below, please contact UL's Customer Service at <http://www.ul.com/aboutul/locations/>, select a location and enter your request, or call the number listed for that location.

Acceptance of Follow-Up Services

The Applicant and the specified Manufacturer(s) and any Listee/Classified Company in this Follow-Up Service Procedure must agree to receive Follow-Up Services from UL Contracting Party. If your applicable service agreement is a Global Services Agreement ("GSA"), the Applicant, the specified Manufacturer(s), and any Listee/Classified Company will be bound to a Service Agreement for Follow-Up Services upon the earliest by any Subscriber of a) use of the prescribed UL Mark, b) acceptance of the factory inspection, or c) payment of the Follow-Up Service fees. The Service Agreement incorporates such GSA, this Follow-Up Service Procedure and the Follow-Up Service Terms which can be accessed by clicking the following link: <http://services.ul.com/fus-service-terms>. In all other events, Follow-Up Services will be governed by and incorporate the terms of your applicable service agreement and this Follow-Up Service Procedure.

Use and Ownership of the Follow-Up Service Procedure

This Follow-Up Service Procedure, and any subsequent revisions, is the property of UL and is not transferable. This Follow-Up Service Procedure contains confidential information for use only by the Applicant, the specified Manufacturer(s), and representatives of UL and is not to be used for any other purpose. It is provided to the Subscribers with the understanding

that it is not to be copied, either wholly or in part unless specifically allowed, and that it will be returned to UL, upon request.

Definition of Terms

Capitalized terms used but not defined herein have the meanings set forth in the GSA and the applicable Service Terms or any other applicable UL service agreement.

No Third Party Liability

UL shall not incur any obligation or liability for any loss, expense or damages, including incidental, consequential or punitive damages arising out of or in connection with the use or reliance upon this Follow-Up Service Procedure to anyone other than the above Manufacturer(s) as provided in the agreement between UL LLC or an authorized licensee of UL LLC, including UL Contracting Party, and the Manufacturer(s).

Certification Body

UL LLC has signed below solely in its capacity as the certification body to indicate that this Follow-Up Service Procedure fulfills the requirements for certification documentation issued by the certification body.

Bruce A. Mahrenholz
Director
Conformity Assessment Programs (CPO)
UL LLC

LOCATION

(221809-001) 202099 (Party Site)
PT VOLEX INDONESIA
JALAN IR SUTAMI, KAWASAN INDUSTRI SEKUPANG
BATAM 29422 ID

Factory ID: B

UL Contracting Party for above site is: UL GmbH

(106395-001) 28615 (Party Site)
Volex Cable Assembly (Shenzhen) Co Ltd
VOLEX BLDG
1173 SHENHUI RD
BAO'AN, HENGANG
SHENZHEN GUANGDONG 518115 CN

Factory ID: SM or HG

UL Contracting Party for above site is: UL GmbH

(918517-001) 21297 (Party Site)
Volex Cable Assembly (Zhongshan) Co Ltd
2 Xingda St
Torch Development Zone
ZHONGSHAN GUANGDONG 528437 CN

Factory ID: SM1 OR SMI

UL Contracting Party for above site is: UL GmbH

(902299-002) 24462 (Party Site)
Volex De Mexico S A
Ave 32 Sur Num 8950
INTERIOR EDIFICIO G1, D, E, F
PARQUE INDUSTRIAL LA MESA, FRACC RUBIO
Tijuana BC 22650 MX

Factory ID: TI

UL Contracting Party for above site is: UL GmbH

(342882-001) 175031 (Party Site)
VOLEX CABLE ASSEMBLY (VIETNAM) CO LTD
D-5B THANG LONG INDUSTRIAL PARK
DONG ANH DISTRICT
HANOI VN

Factory ID: VH

UL Contracting Party for above site is: UL GmbH

(386557-001) 9840 (Party Site)
VOLEX INTERCONNECT SYSTEMS (SUZHOU) CO LTD
Building 3, Fumin Phase 3 Square
No.818 Wusong Road, Guoxiang Subdistrict
Wuzhong Economic & Technological Development Zone
SUZHOU JIANGSU 215000 CN

Factory ID: VS

UL Contracting Party for above site is: UL GmbH

INDEX

ATTACHMENT PLUG:

Models	Section	Report Date
Unlisted component, Attachment-Plug Cap! Cat. No.ME301.	1	1976-12-23

NEMA CONFIGURATION

Cat. No.	Config.	Cord AWG	Electrical A/V	Sec.	Fig.	USU	CNU
ME301, -D, - P, -S, -R, - RP	1-15	20,18,17,16/2	7,10,10,13/125	2	1,1A	Yes	Yes
230619-001	1-15	18/2	5/125	2	1B	Yes	Yes
USJ15	1-15	18,16/2	7,10,13/125	2	1	Yes	Yes
ME302, -B, - P	1-15	18,17,16/2	10,12,13/125	2	2	Yes	Yes
ME302GR	1-15	18,17,16/2	10,12,13/125	2	3	Yes	Yes
US115LS, - LPS, -S	1-15	18,16/2	10,13/125	2	4,6	Yes	Yes
926	1-15	18,16,14/2	10,13,15/125	2	7	Yes	Yes
926SR	1-15	18,16,14/2	10,13,15/125	2	11.13,14	Yes	Yes
926NPSR	1-15	18,16,14/2	10,13,15/125	2	16	Yes	Yes
926BSR	1-15	18,16,14/2	10,13,15/125	2	11.13,14,16	Yes	Yes
DS15EPS2	1-15	18,17,16/2	10,12,13/125	2	21	Yes	Yes
US115SC, - PSC	1-15	18/2	7/125	3	16	Yes	Yes
US15B, -P	1-15	18,16,14/2	10,13,15/125	2	4	Yes	Yes
US15S2	1-15	18/2	10/125	2	11.17	Yes	Yes
USJ15B	1-15	18/2	10/125	2	4	Yes	Yes
MP128 (EMI)	1-15	18/2	10/125	3	5	Yes	Yes
VP129 (EMI)	1-15	18/2	10/250	3	14	Yes	Yes
US515SC (EMI)	5-15	16/3	13/125	3	21	Yes	Yes
185, -F	5-15	18,16,14/3	10,13,15/125	2	--	Yes	No
CX-490, -495	5-15	14,12,10/3	15,20,30/250	2	8	Yes	No
3323 (Hosp)	5-15	16,14/3	13,15/125	3	11,12	Yes	Yes
3317	5-15	18,16/3	10,13/125	3	13	Yes	Yes
AEC60 (Hosp)	5-15	18,16,14,12/3	10,13,15,15/125	3	15	Yes	Yes
PS204, -B, - D	5-15	18,17,16,14/3	10,12,13,15/125	3	1	Yes	Yes
PS204A	5-15	18,17,16,14/3	10,12,13,15/125	3	3	Yes	Yes
US515A, USI515A	5-15	18,16,14/3	10,13,15/125	3	17	Yes	Yes
PS206	5-15	18,16,14/3	10,13,15/125	3	2	Yes	Yes
PS206A	--	18,16	10,13	3	--	Yes	Yes
PS515	5-15	18,16,14,12/3	10,13,15,20/125	3	10	Yes	Yes
MP204	5-15	18,18,16,14/3	2.5,10,13,15,15/125	3	4	Yes	Yes
USD15A, - S15A	5-15	18,16/3	10,13/125	3	9	Yes	Yes
PS520	5-20	18,16, 18,16, 14,12/314,12/3	10,13, 18,20/125	3	10	Yes	Yes

ATTACHMENT PLUG: (Cont'd)

NEMA CONFIGURATION

Cat. No.	Config.	Cord AWG	Electrical A/V	Sec.	Fig.	USU	CNU
1541	L5-20	18,16,14/3	10,13,15/125	3	20	Yes	No
VS205A	6-15	18,16,14/3	10,13,15/250	3	8	Yes	Yes
VS205S	6-15	18,16,14/3	10,13,15/250	3	111.55,56	Yes	Yes
PS615	6-15	18,16,14,12/3	10,13,15,20/250	3	10	Yes	Yes
PS620	6-20	18,16,14,12/3	10,13,18,20/250	3	10	Yes	Yes
VS207A	6-20	14,12/3	15,20/250	3	6	Yes	Yes
VS208A	6-30	12/3	25/250	3	7	Yes	Yes
PL3001	1-15	18/2	10/125	3	23	Yes	Yes
PL3007	1-15	14/3	15/125	3	--	Yes	Yes
PS206A	5-15	18,16/3	10,13/125	3	24	Yes	Yes
US650A, US650A (A.C.1)	6-50	12/3	25/250	3	25,33	Yes	Yes
US15S3	5-15	18/3	10/125	3	111.51	Yes	Yes
MA115VPS2	1-15	18, 16/2	10,15/125	9	111.1	Yes	Yes
USL620PS3	L6-20	14,12/3	15,20/250	3	26	Yes	Yes
VPUS15S3	5-15	18,16/3	10,13/125	3	27	Yes	Yes
US515NGA3, US515EGA3, US515SGA3, US515WGA3	5-15	18,16,14	10,13,15/125	3	28	YES	YES
US515BTA3	5-15	18,16	10,13/125	3	29	YES	YES
VPUS15DS3	5-15	18,16	10,13/125	3	-	YES	YES
US15GPS2	1-15	17,16	12,13/125	2	9	YES	YES
USJ15TS3	5-15	18,16,14	10,13,15/125	3	30	YES	YES
US115VPS2	1-15	18,17	10,12/125	2	13	YES	YES
US115DPS2	1-15	17	12/125	2	10	YES	YES
RA115GRP	1-15	18,17,16	10,12,13/125	2	11	YES	YES
USL520PS3	L5-20	18,16,14,12	10,13,15,20/125	3	31	YES	YES
PS520A	5-20	12	20/125	3	32	YES	YES
US115VS2	1-15	18,17	10,12/125	2	12	YES	YES
VPUS15S2	1-15	18/2	10/125	2	14	YES	YES
USD15GPS2	1-15	18,17,16/2	10,12,13/125	2	15	YES	YES
USD115PS2	1-15	17/2	12/125	2	16	YES	YES
APUS15S3	5-15	18,16/3	10,13/125	3	34	YES	YES
DS15PS2	1-15	18, 17, 16/2	10,12,13/125	2	17	YES	YES
ME301SH	1-15	18	10/125	2	18	YES	YES
APUS15S2	1-15	18/2	10/125	2	19	YES	YES
US15PA2	1-15	18/2	10/125	2	20	YES	YES
US520A3	5-20P	12/3	20/125	3	35,36	YES	YES
US15TS2	1-15	18/2	10/125	2	22	YES	YES
DS15JPS2	1-15P	18,17,16,14/2	10,12,13,15/125	2	23	YES	YES
HO515S3	5-15P	16/3	13/125	3	37	YES	-
MFUS15S2	1-15	18/2	2.5,7/125	2	24	YES	YES
AP7J34	1-15	18/2	10/125	2	25	YES	YES
DLUS15S3	5-15	18/3	7, 10/125	9	1	YES	YES
VNUS15S3	5-15	18,16/3	2.5,10,13/125	2	26	YES	YES
VNUS15FS3	5-15	18/3	2.5,10/125	2	--	YES	YES
VNUS15S2	1-15	18/2	7, 10/125	2	27	YES	YES
USL515PS3	L5-15	18,14/3	10,15/125	3	38	YES	YES
USL2130PS	L21-30P	10/5	25/120/208, 3Ø	3	39	YES	NO
USL630PS	L6-30	10,9/3	30,30/250	3	40	YES	YES

Note: (A.C.1) - ALTERNATE CONSTRUCTION NO. 1.

ATTACHMENT PLUG (Cont'd):

NEMA CONFIGURATION

Cat. No.	Config.	Cord AWG	Electrical A/V	Sec.	Fig.	USU	CNU
CSUS15S3	5-15P	18,16/3	10,13/125	9	2	Yes	Yes
DGUSJ515HS3	5-15P	18,14/3	10,15/125	3	41	Yes	Yes
APUSC138S2	1-15P	18/2	10/125	9	3	Yes	Yes
US515AD	5-15P	18,18/3	2.5,10/125	3	42	Yes	Yes
MLUS15S2	1-15P	18/2	2.5/125	9	4	Yes	Yes
APUS15YS3	5-15	18/3	10/125	3	43	YES	YES
VBUS15S2	1-15	18/2	7/125	9	5	Yes	Yes
VNBUS15S3	5-15P	14/3	15/125	9	6	Yes	Yes
MFUS15S2U	1-15P	18/2	2.5/125	3	44	Yes	Yes
ATUS15THA3	5-15P	14/3	15/125	9	7	Yes	Yes
MSUS15S2	1-15P	18/2	7/125	3	45	Yes	Yes
HPUS15S3	5-15	18/3	7, 10/125	9	8	YES	YES
VNBUS1430PA	14-30P	10/4	30/125/250	3	46	YES	YES
VNBUS1450PA	14-50P	10/4, 10/2+8/2, 6/2+8/2	30, 40, 50/125/250	3	47	YES	YES
USL2220PS5	L22-20P	12/5	20/277/480, 3Ø	9	8	YES	YES

ATTACHMENT PLUG (Cont'd):

IEC CONFIGURATION

Cat. No.	Config.	Cord AWG	Electrical A/V	Sec.	Fig.	USU	CNU
PS25A	C14	18/3	10/250	5	1	YES	YES
PS25	C14	18/3	10/250	5	2	YES	YES
SSD10A	C14	18,16/3	10,13/250	5	3	YES	YES
3318-M3	C14	18,16/3	10,13/250	5	4	YES	YES
3321A,-B	C14	18,16/3	10,13/250	5	4	YES	YES
3322A,-B	C14	18,16/3	10,13/250	5	4	YES	YES
APC14	C14	18/3	10/250	5	6	YES	YES
VAC14A, VAC14SS	Sheet E	18,17/3	10,12/125 or 250	5	9	YES	YES
	C14	17/3	12/125 or 250	5	9	YES	YES
VAC14BS	Sheet E	16/3	13/250	5	9	YES	YES
VAC14LS	Sheet E	16/3	10,13/125 or 250	5	11,32	YES	YES
		14/3	15/125 or 250				
94110/2	EuroPlug	18/2	2.5/250	5	5	YES	YES
201492-1	C14/C7(2)	18/2	7/250	5	7,8	YES	YES
VSC20	C20	16,14,12/3	13,16,20/250	5	10	YES	YES
PL3004	C14	16/3	13/125 or 250	5	11	YES	YES
VAC20S	Sheet I	16,14/3	13,16/125 or 250	5	12	YES	YES
VAC20A	C20	16,14/3	13,15,16/125 or 250	5	20	YES	YES
VAC14KC	Sheet E	18,16/3	10,13/125 or 250	5	21	YES	YES
VAC20KC	Sheet I	14/3	16/125 or 250	5	22	YES	YES
VAC20BS	Sheet I	12/3	16,20/125 or 250	5	23	YES	YES
VAC14LA	Sheet E	18,16,14/3	10,13,15/125 or 250	5	24	YES	YES
VAC20AD	Sheet I	14,12/3	16,20/125 or 250	5	25	YES	YES
VAC14KAL	Sheet E	18,16/3	10,13/125 or 250	5	26	YES	YES
VAC14KAR	Sheet E	18,16/3	10,13/125 or 250	5	27	YES	YES
VAC20KAR	Sheet I	16,14,14/3	13,15,16/125 or 250	5	28	YES	YES
VAC20KAL	Sheet I	16,14,14/3	13,15,16/125 or 250	5	29	YES	YES
SMC14LA	Sheet E	18,16/3	10,13/125 or 250	5	30	YES	YES
VNC14S	Sheet E	18,17,16/3	10,12,13/125 or 250	5	31	YES	YES
VAC14S	Sheet E	18,17/3	10,12/125 or 250	5	32	YES	YES
VNC14BS	Sheet E	17,17,16/3	10,12,13/125 or 250	5	33	YES	YES
VNBC14S	Sheet E	18,17,16/3	10,12,13/125 or 250	5	34	YES	YES

CORD CONNECTOR BODIES:

NEMA CONFIGURATION

Cat. No.	Config.	Cord AWG	Electrical A/V	Sec.	Fig.	CUL
US115RPS	1-15	18/2	10/125	7	1	Yes
US515RP	5-15	18/3	10/125	7	2	Yes
US515RS, US515RS (A.C.1)	5-15	18,16,14/3	10,13,15/125	4	30,51	Yes
AEC-212, AEC-202,- 210,	5-15	18,16,14/3	10,13,15/125	4	32	Yes
28-9170	1-15	18,16,14/3	10,13,15/125	4	32	Yes
CN-4008	5-15	16, 14/3	13,15/125	4	38	Yes
PH-161	1-15	18,16,14/2	10,13,15/125	4	44,45, 46	No
US515RP-A	5-15	18/3	10/125	7	3	Yes

Note: (A.C.1) - ALTERNATE CONTRUCTION NO. 1.

IEC CONFIGURATION

Cat. No.	Config.	Cord AWG	Electrical A/V	Sec.	Fig.	CUL
PS625,-A,-LA	C13	18,16,14/3	10,13,15/125	4	1	Yes
PS309,-P	C1	18/2	7/125	4	2	Yes
M1625	C13	18,16/3	10,13/125 or 250	4	3,3A	Yes
VIC13A	C13	18,16/3	10,13/125 or 250	4	3C	
V1625	C13	18,18,17,16/ 3	2.5,10,12,13/125 or 250	4	3, 3A	Yes
*V1625BS	C13	16,14/3	13,15/125 or 250	4	3B	Yes
VAC13KS	C13	18/3 16/3 14/3	10/125 or 250 13/125 or 250 15/125 or 250	4	3D	Yes
M1250A,-P	C7	18/2	7/250	4	4	Yes
M1250R	C7	18/2	7/250	4	4A	Yes
MS212,-A	C9	18/2	10/125	4	5	Yes
MS225	C17	18/2	10/125	4	6	Yes
*VAC17S, PIC17S, PIC17BS	C17	18,16,14/2	10,13,15/125	4	6A	Yes
VAC17BS	C17	18,16,14,14/ 2	10,13,10,15/125	4	6A	Yes
YAC17S	C17	18/2	10/125	4	6A	Yes
VAC17A	C17	16/2	10,13/125	4	6C	Yes
M2825	C15, C15A	18,16/3	10,15 (HPN) /125	4	7	Yes
*VAC15A	C15	16,14/3	13, 15/125 or 250	4	52	Yes
VAC15S	C15	18,16,14/3	10,13,15/250 (HPN)	4	7	Yes
VAC15BS	C15	18,16,14/3	10,13,15/250	4	7	Yes
		18	10/125 (SJ)			
25AC5, 25ARAC5	C5	18/3	2.5,7/125 or 250	4	8	Yes
VAC5S, VAC5AL, VAC5AR	C5	18/3	7/125 or 2.5/250	4	8	Yes
V1625LA	C13	18,17,16,14/ 3	10,12,13,15/125 or 250	4	9	Yes
V1625A	C13	18,17,16/3	10,12,13/125 or 250	4	9	Yes
V1625BA	C13	16,14/3	13,15/125 or 250	4	9A	Yes

CORD CONNECTOR BODIES CON'T:

IEC CONFIGURATION

Cat. No.	Config.	Cord AWG	Electrical A/V	Sec.	Fig.	CUL
*AVLC13	C13	18,16,14/3	10,13,15/125 or 250	4	9B	Yes
AVRC13	C13	18,16,14/3	10,13,15/125 or 250	4	9B	Yes
3318-F3	C13	18,16/3	10,13/125	4	10	Yes
3319A,-B	C13	18,16/3	10,13/125	4	10	Yes
3320A,-B	C13	18,16/3	10,13/125	4	10	Yes
VSC15,VRC15,VLC15	C15	18,17,16,14/3	10,10,13,15/250	4	11	Yes
VSC13,VRC13,VLC13	C13	18,17,16,14/3	10,10,13,15/250	4	11	Yes
VSCC13	C13	18/3	10/125 or 250	4	11A	Yes
VSC19,VRC19,VLC19	C19	18,16,14,12/3	10,13,16,20/250	4	12	Yes
VSCC19	C19	18,16,14,12/3	10,13,16,20/250	4	--	Yes
8393	Spec.	18/3	10/125	4	13	Yes
HS10S,-U	C13	18,16/3	10,13/250	4	14	Yes
HS10A,-U	C13	18,16/3	10,13/250	4	15	Yes
Z357316	C17	18/2	10/125	4	--	Yes
Z357318	C13	18/2	10/250	4	16	Yes
16SCI	C19	16/3	13/250	4	17	Yes
WITHDRAWN	WITHDRAWN	WITHDRAWN	WITHDRAWN	8	1	Yes
APC13	C13	18,16/3	10,13/250	4	18	Yes
APC13S	C13	18/3	10/250	4	31	Yes
APC5A	C5	18/3	10/125	4	19	Yes
APC5M	C5	18/2	10/125	4	20	Yes
APC7M	C7	18/2	2.5/125	4	29	Yes
APC5S, -5SM	C5	18/3	10/125	4	21	Yes
*VAC7PS	C7	18/2	7/125	4	23	Yes
VAC7S, SZC7S	C7	18/2	7/125 or 2.5/250	4	23	Yes
VAC7A	C7	18/2	7/125	4	24	Yes
APC7S	C7	18/2	2.5/125 or 250	4	25	Yes
APC7Q	C7	18/3 (Functional Ground)	2.5/125	4	35	Yes
VAC19	C19	16,14,12/3	13,15,20/250	4	26	Yes
VAC19A, VAC19LA	C19	16,14,12/3	13,15,20/125 or 250	4	65	Yes
APC5SP, -SF	C5	18/3	2.5/250	4	27	Yes
CN-4001	C17	18/2	10/125	4	28	Yes
CN-4002	C13 (Special Use)	16/3	13/125 or 250	4	36	Yes
APC13F	C13 (Special Use)	18,16/3	10,13/125	4	37	Yes
APC13G	C13 (Special Use)	18/3	10/125 or 250	4	39	Yes
APC13H	C13 (Special Use)	18/3	10/125 or 250	4	53	Yes
DLC7U2	C7	18/2	2.5/125	4	-	Yes
DLC5U3	C5	18	2.5/125	4	-	Yes
AP7M16	C7	18	2.5/125	4	-	Yes
APC13FH	C13 (Special Use)	16/3	13/125	4	62	Yes

CORD CONNECTOR BODIES CON'T:

IEC CONFIGURATION

Cat. No.	Config.	Cord AWG	Electrical A/V	Sec.	Fig.	CUL
VCC13	C13	18/3	10/125	4	40	Yes
VAC19KS	C19	14, 14,12/3	15,16,20/125 or 250	4	41	Yes
SOC7S	C7	18/2	7/125	4	42	Yes
APC13GH	C13	18/3	10/125	4	43	Yes
HPC13A	C13	18,16/3	10,13/250	4	47	Yes
DLC7E2	C7	18/2	2.5/125	4	48	Yes
DLC5E3	C5	18/3	2.5/125	4	49	Yes
V1625AT	C13	18/3	10/250	4	50	Yes
VCC7S	C7	18/2	7/125 or 2.5/250	4	54	Yes
VCC5S	C5	18/3	2.5/125 or 250	4	55	Yes
APC7H	C7	18/3 (Functional Ground)	2.5/125	4	56	Yes
VCC5AR	C5	18/3	2.5/125 or 250	4	57	Yes
VCC13A	C13	18/3	10/125 or 250	4	58	Yes
V1625H	C13	18,16/3	10,13/125 or 250	4	59	Yes
VAC19H	C19	14,14,12/3	15,16,20/125 or 250	4	60	Yes
APC7K	C7	18/2	2.5/125	4	61	Yes
VCC7	C7	18/2	7/125 or 250	4	63	Yes
HOC13S	C13	16/3	13/125 or 250	4	64	Yes
VAC17KS	C17	18/2	10/125 or 250	4	66	Yes
VAC13CS, VAC13AU	C13	18/3	10/125 or 250	4	68	Yes
VAC13AD	C13	18,16/3	10,13/125 or 250	4	68	Yes
APC7KC	C7	18/2	2.5/125	10	1	Yes
APC13HC	C13	18/3	10/125	10	2	Yes
MFC7S	C7	18/2	2.5/125	10	3	Yes
APC13HJ, APC13HY	C13	18/3	10/125	10	4, 18	Yes
APC7HB	C7	18/3 (Functional Ground)	2.5/125	10	5,6	Yes
VCS3KS	Non- Stanard	18/3	2.5/125 or 250	10	7	Yes
VAS3KS	Non- Stanard	18/3	2.5/125 or 250	10	8	Yes
APC7J	C7	18/2	2.5/125	4	67	Yes
DLC5CS3	C5	18/3	7/125	10	9	Yes
VNC7S	C7	18/2	7/125	10	10	Yes
VNC5S	C5	18/3	2.5/125 or 250	10	11	Yes
VNC5FS	C5	18/3	2.5/125 or 250	10	12	Yes
VNC13S	C13	18,17,16/3	10,12,13/125 or 250	10	13	Yes
VNC13A	C13	18,17,16/3	10,12,13/125 or 250	10	15	Yes
VNC7A	C7	18/2	7/125	10	14	Yes
VAC19A120, VAC19LA120	C19	12/3	16/125 or 250	4	69	Yes
DGC13A	C13	18/3	10/ 125 or 250	4	70	Yes
DGC13S	C13	18/3	10/ 125 or 250	4	71	Yes
DGC19S	C19	14/3	15/ 125 or 250	4	72	Yes
HPC5DC	C5	18/3	7 / 125	10	12	Yes
VAC7SR	C7	18/2	7/125	4	-	Yes
VNC21S	C21	14/3	16/250	11	1	Yes
MLC7S	C7	18/2	2.5/125	10	17	Yes
VBC7S	C7	18/2	7/125	11	2	Yes
VBC7A	C7	18/2	7/125	11	3	Yes
VAC17FS	C17	18/2	7,10/125	4	6D	Yes

CORD CONNECTOR BODIES CON'T:

IEC CONFIGURATION

Cat. No.	Config.	Cord AWG	Electrical A/V	Sec.	Fig.	CUL
VNBC7S	C7	18/2	7/125, 2.5/250	11	4	Yes
VNBC7SL	C7	18/2	7/125 or 2.5/250	11	11	Yes
VSCC21	C21	14/3, 12/3	15, 20/125 or 250	11	5	Yes
VSCC21A	C21	14/3, 12/3	15, 20/125 or 250	11	6	Yes
VNBC13S	C13	18,17,16/3	10,12,13/125 or 250	11	8	Yes
MFC7SL	C7	18/2	7/125 or 2.5/250	11	9	Yes
VNC21KS	C21	12/3	20/125 or 250	11	10	Yes
HPC13S	C13	18/3	10A/125V or 10A/250V	11	12	Yes
VNBC5S	C5	18/3	7A/125V or 2.5A/250V	11	13	Yes
VNBC17S	C17	18/2, 16/2	10, 13/125 or 250	11	14	Yes
SC54C13KS	C13	18,17,14/3	10,10,15/125 or 250	11	15	Yes
VMC13A120	C13	16/3	13/125 or 250	11	16	Yes

NONSTANDARD CONFIGURATION

Cat. No.	Config.	Cord AWG	Electrical A/V	Sec.	Fig.	CUL
PHX-949	N/A	18,17/2	10,10/125	4	22	Yes
SR5008	N/A	16/3	13/125	4	33	Yes
DLC5A3	N/A	18/3	2.5/125	4	34	Yes
DLC5SA3	N/A	18/3	2.5/125	4	34A	Yes

CORD SPLICES:

Cat. No.	Config.	Cord AWG	Electrical A/V	Sec.	Fig.	CUL
497-0420299	N/A	18,16/3	10,13/125	6	1,3	Yes
7594	N/A	18,16,14/3	10,13,15/250	6	2	Yes
Duo-Cord	N/A	18,16,14/3	10,13,16/125 or 250	6	4	Yes
DUO-CORD-B	N/A	14/3	16/125 or 250	6	6	Yes
Trident	N/A	18,16,14/3	10,10,10/250	6	5	Yes